



ST Imaging

Collection Scanning Solutions

The All New ST ViewScan®

Easy to use,
Fast and
Affordable



The Ultimate Digital Solution
For Your Library's Microform Collection

IT'S HERE...

The ultimate digital advantage!

ST ViewScan™ – loaded with features

ENHANCED VIEWING. No pixelation when refreshing live viewed images (which can happen with many other scanners).

HIGH QUALITY image scanning. Archival quality, even contrast, sharp text, photo restoration, lossless scaling and more!

FULLY INTEGRATED SYSTEM: ONE power cord, ONE on-off switch, ONE film carrier! View and scan any size roll film, microfiche, opaque micro cards, aperture cards and much more.

ENVIRONMENTALLY SOUND. CE certified, low voltage power consumption, RoHS compliant, and ULTRA COMPACT energy efficient design.

MODULAR design. Will not become obsolete, protecting your initial investment.



First product to be a true Microfilm CROSSOVER™!

Combines digital view, digital scan and digital on-screen film controls, with ease of use.

Some industry-standard Motorized Combo Roll/Fiche Film Carriers are already compatible . . . you can save even more when you move your existing combo carrier to the ST ViewScan™ digital system.




EASY-TO-USE, INTUITIVE Windows Software.

Powerful user-friendly Windows desktop application. No confusing clutter of enigmatic icons.

INCOMPARABLE capture speed.

(1/6th of a second) at 300 dpi



Use the ST ViewScan™ with...

ROLL FILM, 3M FILM CARTRIDGE, MICROFICHE, OPAQUE MICRO CARDS, APERTURE CARDS

ST ViewScan™

The all-new all-media, multi-media scanning solution for your library!

Revolutionize the way you use and access your film archives!

Anything on roll film can now be **INSTANTLY** viewed and captured from PC to PC . . .

ANYWHERE IN THE WORLD!

UNPARALLELED image quality.

Superlative on-screen viewing and near-archival scanning.

SHARE FILM LIVE over the internet:

Any time, anywhere around the globe!

Here's how it works . . .

The ST ViewScan™ can broadcast a live video feed of microfilm images over the internet to virtually any remote location without needing to scan the pages. A roll of film from the host library's film archive (which may be hundreds or thousands of miles away), is mounted on the ST ViewScan™ and the remote user is given access.

The remote user can then zoom in and out, advance and reverse the film, scan, print and email the pages viewed.



Expand your capabilities . . .

The **ST ViewScan™** is perfect for use with the **ST Companion Scanner** ▶

EASY TO USE! Works seamlessly with the **ST ViewScan™**




Add the ST Companion Scanner for...

BOOKS, PHOTOS, DOCUMENTS, GLASS FLATS, FILM, COLOR SLIDES, etc.

ST ViewScan™

Digital Film Viewer/Scanner



SPECIFICATIONS:

- Scanning Type: Microfilm 16/35mm; microfiche; opaque microcards; aperture cards; and more
- Image Sensor: High resolution 6.5fps monochrome sensor
- Grayscale Mode: 256 Grayscale captured; can produce grayscale and bitonal output
- Optical Resolution: Multiple modes up to much more than 600 dpi "at document"
- Zoom Range: 7X to 54X Optical Zoom; 7X to 96X Digital Auto Zoom®
- Light Source: CCFL True Color (not green) fluorescent lamp and LED lamps with lifetime warranty
- Scan Speed: 300 dpi at 1/6th of one second; higher resolutions in one second
- Maximum Area: 35mm x 51mm exceeds full aperture card requirements
- Power Adapter: 13.8VDC 2A
- Power Source: AC 100-240 V 50Hz - 60Hz
- PC Recommendations: 2+ Gig Ram, 2+ GHz speed, 17" or larger monitor; works very well with 24" pivot or non-pivot screens. 1 USB 2.0 port, 1 powered FireWire Card (may use existing or one we provide at no additional charge) Video Card: 512MB. CPU: Intel Core Duo or later. (PC Recommendations are for guaranteed best performance – lesser systems will work, but may exhibit slower performance.)
- Operating Systems: Compatible with XP, Vista and Windows® 7 Microsoft operating systems (32-and 64-bit configurations)
- Screen Refresh: 30 frames per second
- Dimensions/Weight: ST ViewScan™
 Digital Film Viewer/Scanner: 12"w x 17"d x 6-5/8"h / 10 lbs. (30.48cm x 43.18cm x 16.83cm / 4.5kg)
 UC 9 Motorized Carrier: 25"w x 12"d x 6-5/8"h / 11 lbs. (63.5cm x 30.48cm x 16.83cm / 5kg)

All S-T Imaging products have these important safety and other product approvals:



Collection Scanning Solutions

630 Dundee Rd., Suite 210 • Northbrook, IL 60062
 Ph: 847.501.3344 • Fax: 847.501.3377

ST ViewScan™ and Microfilm Crossover™ are trademarks of S-T Imaging.

ST Companion™

Flat Media Scanner

SPECIFICATIONS:

- Scanner type: Flatbed color image scanner with Digital ICE technology for film and photo prints.
- Scanner area: 8.5 inches by 11.7 inches
- Resolution: 12,800 dpi with Double Scan technology.
- Color depth: 48 bits
- Gray Scale: 16 bits
- Optical Density: 3.8 Dmax
- Focus Control: Automatic
- Scanner speeds: Up to 16.9 msec/line
- Zooming: 50% to 200%
- Light Source: White cold cathode fluorescent lamp
- Photoelectric Device: Color Matrix CCD line sensor
- Operating Systems: Windows® 2000 and XP
- Interface: USB 2.0, IEEE1394 Firewire
- System Requirements: 512MB RAM, 300MB available hard disk space, CD-ROM drive (4X or faster), available USB 2.0 or IEEE1394 connection and device drivers, USB 1.1/2.0 compatible operating system and applications (USB 2.0 recommended for optimum performance), mouse or other pointing device.
- Dimensions: 11.97" w x 5.28" h x 13.74" d
- Weight: 14.8 pounds
- Warranty, parts/labor: 90 Days
- In the box: Scanner; 6" x 9" Transparency Adapter (built into Scanner lid); ScanWrite Software; ABBYY FineReader Sprint OCR software and electronic Reference Guide; CD-ROM with Adobe Photoshop Elements 2.0; USB 2.0/1.1 cable; Scanner setup poster; Scanner Quick Guide.



Contact your local dealer:



Phone: 703-883-2500
 Fax: 571-203-8976
www.imageXinc.com

1985 Isaac Newton Square W., Reston, VA 20190

